

DAFTAR PUSTAKA

- Kina Art. (2024). *[Postingan foto workshop kintsugi]*. Instagram. <https://www.instagram.com/kina.art/>
- Liu, K., Hu, J., Du, Y., Shi, Y., Sun, Y., Zhang, S., & Tu, R. (2022). Influence of particle size on 3Dprinted piezoelectric ceramics via digital light processing with furnace sintering. *International Journal of Applied Ceramic Technology*, 19(5), 2461–2471. <https://doi.org/10.1111/ijac.14074>
- Lin, T., Zhao, Z., Wang, T., & Pan, Y.T. (2023). ThreeDimensional Printing of Large Ceramic Products and Process Simulation. *Materials*, 16(10), 3815. <https://www.mdpi.com/19961944/16/10/3815>
- Zhou, R., Wang, Y., Liu, Z., Chen, J., & Kong, J. (2022). Digital Light Processing 3DPrinted Ceramic Metamaterials for Electromagnetic Wave Absorption. *NanoMicro Letters*, 14, 122. <https://link.springer.com/article/10.1007/s4082002200865x>
- Lee, S. (2025, Juni 15). *Identity in NonFunctional Ceramics*. Number Analytics. <https://www.numberanalytics.com/blog/identityinnonfunctionalceramics>
- Keene, D. (1999). *Seeds in the Heart: Japanese Literature from Earliest Times to the Late Sixteenth Century*. Columbia University Press. <https://cup.columbia.edu/book/seedsintheheart/9780231114417>
- Yanagi, S. (1989). *The Beauty of Everyday Things* (B. Brase, Trans.). Penguin Classics. (Karya asli diterbitkan tahun 1928). <https://www.penguinrandomhouse.com/books/610740/thebeautyofeverydaything/sbyyanagisoetsu/>
- Sato, T. (2001). *Zen and the Art of the Japanese Garden*. Kodansha International. <https://www.goodreads.com/en/book/show/2094985>
- eulemans, G. (2016). *The geocultural conditions of kintsugi*. *The Journal of Modern Craft*, 9(1), 15–34. <https://doi.org/10.1080/17496772.2016.1183946>
- Terrain.org. (2024). *Kintsugi – A Lesson in Healing*. *Terrain.org: A Journal of the Built + Natural Environments*. <https://www.terrain.org/2024/nonfiction/kintsugiartofrepair/>
- Keulemans, G. (2016). *The geocultural conditions of kintsugi*. *The Journal of Modern Craft*, 9(1), 15–34. <https://doi.org/10.1080/17496772.2016.1183946>
- Kondo, T. (2023). *The Art of Kintsugi: Embracing Brokenness in Japanese Craft*. Tuttle Publishing. <https://www.tuttlepublishing.com/book/?gcoi=88591100875410>

- Liu, X., Elmahdy, A. E., Wildman, R. D., Ashcroft, I. A., & Ruiz, P. D. (2011). *Experimental investigation and material modelling of fresh and UV aged Japanese lacquer (Urushi)*. *Progress in Organic Coatings*, 70(4), 160–169. <https://doi.org/10.1016/j.porgcoat.2010.09.020>
- Matsumoto, C. (2025). *Embracing Kintsugi's Past: Chiari Matsumoto's Vision for Its Future*. *Japan Documented*. retrieved from <https://japandocumented.com/interview/embracingkintsugispastchiarimatsumotosvisionforitsfuture/>
- Wikipedia contributors. (2025, July 19). *Kintsugi*. *Wikipedia*. Retrieved from <https://en.wikipedia.org/wiki/Kintsugi>
- Obeta, M. U., Obasi, U. M., & Nwachukwu, D. C. (2022). *Beetroot and Turmeric as Alternative Dyes for Haematoxylin and Eosin in Histological Staining*. *Scientific Research Journal of Clinical and Medical Sciences*, 1(2), 12–20. Retrieved from https://www.researchgate.net/publication/358978182_Beetroot_and_Turmeric_as_Alternative_Dyes_for_Haematoxylin_and_Eosin_in_Histological_Staining
- Avelino, F. P., Soares, R. A. L., PeñaGarcia, R. R., & Lobo, A. O. (2023). *The Effect of the Addition of Eggshell Residues in Mass Formulation for Ceramic Coating*. *Minerals*, 13(9), 1123. <https://doi.org/10.3390/min13091123>
- onetken, A., Erol, A., & Peşmen, G. (2022). *Characterization of egg shell powderdoped ceramic–metal composites*. *Open Chemistry*, 20, 716–724. <https://doi.org/10.1515/chem20220175>
- van de Wijdeven, A. (2023). *Eggshell Ceramic: Exploring biochar pigmentation and sustainable eggshell materials*. Atelier LVDW. Diakses dari <https://www.atelierlvdw.nl/eggshellceramic>
- Saeed et al. (2024). *Exploiting ecofriendly natural dyes from plant sources: extraction and diverse applications*. *Electronic Journal of University of Aden for Basic and Applied Sciences*, 5(3), 320–330. <https://doi.org/10.47372/ejuaba.2024.3.377>
- Baaka, N., Haddar, W., Ben Ticha, M., & Mhenni, M. F. (2023). *Ecofriendly dyeing of textile materials with natural colorants from date palm fiber fibrillium*. *Sustainability*, 15(2), 1688. <https://doi.org/10.3390/su15021688>
- Chalmin, E., Tournié, A., & Vignaud, C. (2003). *Black pigments: manufacture and use in antiquity*. In B. Berrie (Ed.), *Artists' pigments: A handbook of their history and characteristics* (Vol. 4, pp. 49–115). National Gallery of Art.

- Clarke, J. D., & Schiffer, M. B. (2001). The use of charcoal pigments in prehistoric cave art: An archaeometric study. *Journal of Archaeological Science*, 28(5), 561–569. <https://doi.org/10.1006/jasc.2000.0599>
- Wang, Y., & Fink, R. H. (2015). Stability and durability of carbon black pigments in artworks: A review. *Journal of Cultural Heritage*, 16(6), 885–894. <https://doi.org/10.1016/j.culher.2015.04.002>
- Samant, I. A., & Gaikwad, D. K. (2020). Optimization of natural dye extraction from coconut husk. *Journal of Experimental Biology and Agricultural Sciences*, 8(1), 54–62. [https://doi.org/10.18006/2020.8\(1\).54.62](https://doi.org/10.18006/2020.8(1).54.62)
- Braide, O. O., Labode, O. J., Amuda, M. O., & Bolarin, O. O. (2025). *Extraction of dye from coconut husk (Cocos nucifera) and its effect on cotton fabric extract*. *European Journal of Theoretical and Applied Sciences*, 3(2), 383–394. [https://doi.org/10.59324/ejtas.2025.3\(2\).33](https://doi.org/10.59324/ejtas.2025.3(2).33)
- Sun, J. Y., & Bhushan, B. (2012). Hierarchical structure and mechanical properties of nacre: A review. *RSC Advances*, 2, 7617–7632. <https://doi.org/10.1039/c2ra20218b>
- Finnemore, A., Cunha, P., Shean, T., Vignolini, S., Guldin, S., Oyen, M., & Steiner, U. (2012). Biomimetic layerbylayer assembly of artificial nacre. *Nature Communications*, 3, Article 966. <https://doi.org/10.1038/ncomms1960>
- Muhammad, G., et al. (2021). Influence of geographical origin and shell positions on nacre color and thickness in mabé pearl oysters *Pteria penguin*. *Aquaculture*, 2024. (Menunjukkan variasi warna sesuai struktur multilapis)
- Salman, J., Stifler, C. A., Shahsafi, A., Sun, C.Y., Weibel, S., Frising, M., ... Gilbert, P. U. P. A. (2020). Hyperspectral interference tomography of nacre. *Proceedings of the National Academy of Sciences*, 117(42), 260–270. <https://doi.org/10.1073/pnas.2023623118>
- Zhou, D., Lu, T., Sun, R., & Zhang, J. (2022). *Study on the Influence of Porosity of the Nacre Layer on the Luster and Surface Roughness of Chinese Large Freshwater Nucleated Pearl*. *Crystals*, 12(2), 234. <https://doi.org/10.3390/cryst12020234>
- Price, L. S., & Buescher, R. W. (1996). Decomposition of turmeric curcuminoids as affected by light, solvent and oxygen. *Journal of Food Biochemistry*, 20(5), 125–133. <https://doi.org/10.1111/j.17454514.1996.tb00577.x>
- Aggarwal, B. B., & Harikumar, K. B. (2009). Potential therapeutic effects of curcumin, the antiinflammatory agent, against cancer, cardiovascular, pulmonary, metabolic, autoimmune and neurodegenerative diseases. *International Journal of*

Biochemistry & Cell Biology, 41(1), 40–59.
<https://doi.org/10.1016/j.biocel.2008.06.010>

- Wang, Y. J., Pan, M. H., Cheng, A. L., Lin, L. I., Ho, Y. S., Hsieh, C. Y., & Lin, J. K. (1997). Stability of curcumin in buffer solutions and characterization of its degradation products. *Journal of Pharmaceutical and Biomedical Analysis*, 15(12), 1867–1876. [https://doi.org/10.1016/S07317085\(96\)020249](https://doi.org/10.1016/S07317085(96)020249)
- Gadhve, R. V., Srivastava, S., & Mahanwar, P. A. (2019). Lignin: Renewable raw material for adhesive. *Open Journal of Polymer Chemistry*, 9(2), Article 92263. <https://doi.org/10.4236/ojpcem.2019.92003>
- Generic, A., et al. (2024). Preparation of natural adhesives with high strength and low temperature fast curing properties. *International Journal of Biological Macromolecules*, 281, Article 136507. <https://doi.org/10.1016/j.ijbiomac.2024.136507>
- Mahreni, M., Putra, I. G. A. D., & Harijaya, I. N. D. S. (2023). Paperboard adhesive from glutinous rice flour. *AIP Conference Proceedings*, 2667, 0007. <https://doi.org/10.1063/5.0114131>
- Prachasilchai, W., Punyanitya, S., Koonawoot, R., Ruksanti, A., Chankachang, P., & Thiansem, S. (2020). Novel pressure sensitive adhesive made from glutinous rice flour. *Key Engineering Materials*, 862, 120–124. <https://doi.org/10.4028/www.scientific.net/KEM.862.120>
- Lawal, O. S., Lapasin, R., Bellich, B., Olayiwola, T. O., Cesàro, A., Yoshimura, M., & Nishinari, K. (2011). Rheology and functional properties of starches isolated from five improved rice varieties from West Africa. *Food Hydrocolloids*, 25(7), 1785–1792. <https://doi.org/10.1016/j.foodhyd.2011.04.010>
- Xu, K., Liu, Y., Bu, S., Wu, T., Chang, Q., Singh, G., Cao, X., Deng, C., Li, B., Luo, G., & Xing, M. (2017). Egg albumen as a fast and strong medical adhesive glue. *Advanced Healthcare Materials*, 6(19), 1700132. <https://doi.org/10.1002/adhm.201700132>
- Han, K., Liu, Y., Liu, Y., Huang, X., & Sheng, L. (2020). Characterization and film forming mechanism of egg white/pullulan blend film. *Food Chemistry*, 315, Article 126201. <https://doi.org/10.1016/j.foodchem.2020.126201>
- Vigneron, T. Q. G., & Holanda, J. N. F. (2024). Effect of Recycling Chicken Eggshell Waste as a Pore Forming Mineral Source in Low Water Absorption Bi Layered Red Ceramic Tiles. *Minerals*, 14(12), 1285. <https://doi.org/10.3390/min14121285>

- Vashishtha, M. (2018). Effect of various dyeing conditions on pure natural yellow dye from turmeric for dyeing of wool yarn. *Research Journal of Family, Community & Consumer Sciences*. <https://doi.org/10.31142/ijtsrd12968>
- Setyowati, N. M., et al. (2023). *Eksperimen pewarnaan kain dengan serabut kelapa yang direndam kayu secang*. *Jurnal Pendidikan Kimia Undiksha*. Undiksha eJournal. (PDF tersedia di situs resmi Undiksha)
- Kusdiyantini, E., Nugraha, S., & Lunggani, A. T. (2017). Pigment production of *Monascus* sp. isolated from angkak in Semarang region, Central Java, Indonesia. *Indonesian Food & Nutrition Progress*, 14(1), 52–60. <https://journal.ugm.ac.id/jifnp/article/view/24256>
- Prachasilchai, W., Punyanitya, S., Koonawoot, R., Ruksanti, A., Chankachang, P., & Thiansem, S. (2020). Novel pressuresensitive adhesive made from glutinous rice flour. *Key Engineering Materials*, 862, 120–124. <http://dx.doi.org/10.4028/www.scientific.net/KEM.862.120>

